

Kota Stone Leather Finish

Premium Wire-Brushed Texture — R10/R11 Safety Meets Design Excellence

SURFACE FINISH

Where sophisticated aesthetics meet practical wet-area safety. The architect's choice for luxury pool surrounds, resort spas, and outdoor entertaining spaces.

ISO 9001:2015 Certified

Grade A Quality

Direct from Quarry

Custom Sizing

Pan-India Delivery

Export Quality

PHONE

+91 86194 59354

EMAIL

info@kotastonefactory.in

WEB

www.kotastonefactory.com

ADDRESS

Ramganj Mandi, Kota, Rajas...

ABOUT THIS PRODUCT

What is Leather Finish Kota Stone?

Leather Finish Kota Stone undergoes a specialised wire-brushing process in which rotating steel wire brushes are drawn across the stone surface under controlled pressure. This abrades the surface at a micro level — opening the stone's crystalline structure just enough to create a slightly rough, tactile texture that closely resembles the feel of aged, brushed leather.

The surface occupies a premium middle ground between the smooth sophistication of honed stone and the raw texture of natural stone. It is neither reflective nor fully matte — it has a subtle, sophisticated sheen that reveals the stone's depth of colour without the full reflectivity of a polished finish.

The wire-brushing process also has a unique secondary effect: it reveals colour layers within the stone that are not visible in smoother finishes. Kota Blue leather often reveals deeper cobalt and teal tones beneath the surface — giving installations a rich, layered visual character that becomes more beautiful over time as the surface ages gracefully in outdoor conditions.

| | | | |
|-----------------------------------|-----------------------------|-----------------------------------|---------------------------|
| R10–R11 Wet Slip Rating | UV Stable Outdoor | Premium Tactile Texture | Pool Safe Grade |
|-----------------------------------|-----------------------------|-----------------------------------|---------------------------|

KEY FEATURES & BENEFITS

Why Professionals Choose This Stone

■ **Premium Tactile Texture**

The wire-brushed surface has a unique, tactile quality that is pleasant both underfoot and to the touch — creating a sense of artisan craftsmanship and luxury quality in any application.

■ **Pool & Wet Area Safety**

Engineered for high-moisture environments. The micro-texture provides R10/R11 wet slip resistance around pool edges, spa walkways, and water features — dramatically safer than smooth tiles.

■ **Enhanced Colour Depth**

The brushing process reveals deeper colour layers within the stone, creating a richer, more nuanced tonal palette — blue stones reveal deeper teals; brown stones reveal richer ambers.

◆ **Conceals Surface Wear Naturally**

The textured surface naturally masks minor surface scratches and everyday wear marks — maintaining a fresh, premium appearance even in high-traffic outdoor environments over many years.

▲ **UV & Climate Stable**

The leather finish does not degrade, fade, or change character under intense UV exposure or thermal cycling — perfect for sun-drenched Indian outdoor terraces and pool decks.

■ **Distinctive Architectural Identity**

Gives projects a sophisticated, one-of-a-kind character that sets them apart from standard stone surfaces — increasingly specified by leading architects and landscape designers.

TECHNICAL SPECIFICATIONS

Physical & Mechanical Properties

| Property | Value | Standard |
|-------------------------|-------------------------------|-----------|
| Finish Classification | Wire-Brushed Leather | — |
| Surface Character | Micro-Textured, Tactile Matte | — |
| Slip Resistance (Wet) | R10 – R11 | DIN 51130 |
| Water Absorption | < 0.5% | IS 1124 |
| Compressive Strength | ≥ 70 MPa | IS 1121 |
| UV Colour Stability | Excellent — No Fade | — |
| Chlorine Resistance | Yes — Pool Water Safe | — |
| Thermal Stability | Low Expansion Coefficient | — |
| Recommended Environment | Pool, Outdoor, Spa, Bathroom | — |

Available Sizes

- 600 × 600 mm — Standard Module
- 600 × 900 mm — Large Plank
- 300 × 600 mm — Plank Format
- Custom Cut — Any Dimension

Thickness Options

- 10–12 mm — Feature Walls & Facades
- 20 mm — Terrace & Spa Flooring
- 25 mm — Pool Surround (Standard)
- 30 mm — Heavy Outdoor / Driveway

IDEAL APPLICATIONS

Project Types & Use Cases

■ Pool Surrounds & Decks

The safest, most beautiful pool decking material. R10/R11 wet grip prevents slipping accidents. Cool underfoot. Chlorine-resistant. UV-stable for decades of poolside luxury.

■ Resort & Hotel Spas

Creates a premium luxury wellness environment — the tactile texture underfoot heightens sensory experience in hydrotherapy rooms, heated pools, and spa relaxation areas.

■ Outdoor Entertaining Terraces

UV-stable, non-slip, and architecturally distinctive — the leather finish thrives on exposed terraces, rooftop bars, infinity decks, and alfresco dining areas.

◆ Luxury Bathroom Floors

Provides a premium spa-like bathroom experience with R11 wet slip resistance and sophisticated tactile character — superior to polished stone in safety and to natural in aesthetics.

▲ Boutique Hospitality Venues

Resort pool decks, hotel spa terraces, beach club floors, and boutique hospitality outdoor areas rely on leather finish for its unique combination of safety and luxury brand aesthetics.

■ Architectural Facades & Walls

Leather finish cladding panels create visually interesting, tactile building facades — increasingly used in contrast with smooth polished panels for dramatic architectural effect.

CARE & MAINTENANCE

Keeping Your Kota Stone in Perfect Condition

■ Regular Care

Brush loose debris with a stiff outdoor broom. Hose or pressure wash 2–3 times per year. The textured surface naturally resists surface contaminants and is easy to restore with water.

■ Pool Areas

Rinse thoroughly with fresh water after chlorine exposure. A mild detergent solution removes sunscreen and oil residue. Avoid high-concentration acid cleaners around pool stone.

■ Sealing

For outdoor use, a breathable penetrating impregnator sealer is recommended. Apply once at installation and every 3 years thereafter. This improves oil and organic stain resistance.

▲ Moss & Algae

In shaded damp outdoor areas, treat organic growth with a dilute bleach solution or specialist biocide. Rinse thoroughly. Regular sun exposure and air flow prevent recurrence.

GET STARTED

Request Samples - Get a Quote

Ideal for pool surrounds, resort spas, outdoor terraces, and luxury bathrooms. Request leather finish samples in both Kota Blue and Kota Brown, or obtain a formal project quotation for your residential or hospitality development.

+91 86194 59354

Phone

info@kotastonefactory.in

Email

www.kotastonefactory.co
m

Website

Ramganj Mandi, Kota, RJ
326519

Location